	Application No.	Applicant(s)	2,6
Notice of Allowability	10/614,144	FISH ET AL.	
	Examiner	Art Unit	T
	Kevin P. Kerns	1725	
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. ☐ This communication is responsive to 23 August 2004. 2. ☐ The allowed claim(s) is/are 1-9. 3. ☐ The drawings filed on 07 July 2003 are accepted by the Ex 4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	(OR REMAINS) CLOSED in or other appropriate communication is sand MPEP 1308. aminer. der 35 U.S.C. § 119(a)-(d) of the been received. been received in Application is sand the proceived in Appli	n this application. If not include unication will be mailed in due subject to withdrawal from issor (f). In No. 09/980,735. In this national stage application this national stage application.	ded e course. THIS ue at the initiative
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	ENT of this application. tted. Note the attached EXA	MINER'S AMENDMENT or N	
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 8/3/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Su Paper No./f 3), 7. ⊠ Examiner's A	ormal Patent Application (PTo Immary (PTO-413), Mail Date <u>091404</u> . Amendment/Comment Statement of Reasons for Allo	·

Art Unit: 1725

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Arland Stein on September 14, 2004.

The application has been amended as follows:

In the claims:

In claim 1, 2nd line, replace "there between" with --therebetween--.

In claim 1, 5th line, replace "end to end" with --and--.

In claim 1, 8th line, insert --,-- after "ends".

In claim 2, 2nd line, delete "metal" before "delivery".

In claim 2, 4th line, replace "plate" with --plates--.

In claim 8, 1st line, replace "the" with --a-- after "wherein".

In claim 8, 2nd line, delete "is" before "on".

In claim 9, replace "the control distance" with --a controlled distance--.

Terminal Disclaimer

The terminal disclaimer filed on August 23, 2004 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date

Art Unit: 1725

of US Patent No. 6,588,492 has been reviewed and is accepted. The terminal

disclaimer has been recorded.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Dr. Kevin P. Kerns whose telephone number is (571)

272-1178. The examiner can normally be reached on Monday-Friday from 8:00am-

5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Tom Dunn can be reached on (571) 272-1171. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Kevin P. Kerns Kevin Lems 9/14/04 Examiner

Art Unit 1725

KPK kpk

September 14, 2004